

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mall, in an envelope addressed to: MS Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: 7-15-04 Signature: Duc SH Crossman)

/FW

Docket No.: CDSI-P01-020 (PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Paul Ashton

Application No.: 10/688151

Filed: October 17, 2003

For: METHODS FOR MONITORING

TREATMENT OF DISEASE

Confirmation No.: 8861

Art Unit: 3738

Examiner: Not Yet Assigned

INFORMATION DISCLOSURE STATEMENT (IDS)

MS Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 CFR 1.56, 1.97 and 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO/SB/08. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is filed before the mailing date of a first Office Action on the merits as far as is known to the undersigned (37 CFR 1.97(b)(3)).

A copy of each reference on the PTO/SB/08 is attached.

In accordance with 37 CFR 1.97(g), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR 1.56(a) exists. In accordance with 37 CFR 1.97(h), the filing of this Information Disclosure statement shall not be construed to be an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

Application No.: 10/688151 Docket No.: CDSI-P01-020

It is submitted that the Information Disclosure Statement is in compliance with 37 CFR 1.98 and the Examiner is respectfully requested to consider the listed references.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 18-1945, under Order No. CDSI-P01-020. A duplicate copy of this paper is enclosed.

Dated: July 15, 2004

Respectfully submitted,

Charles Larsen

Registration No.: 48,533 ROPES & GRAY LLP One International Place

Boston, Massachusetts 02110-2624

(617) 951-7000 (617) 951-7050 (Fax)

Attorneys/Agents For Applicant

PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO Application Number 10/688151 INFORMATION DISCLOSURE Filing Date October 17, 2003 STATEMENT BY APPLICANT First Named Inventor Paul Ashton Art Unit 3738 (Use as many sheets as necessary) Examiner Name Not Yet Assigned CDSI-P01-020 1 1 Sheet of Attorney Docket Number

U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite No.1	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (<i>if known</i>)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 'Applicant's unique citation designation number (optional). 'See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 'Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 'For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 'Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	CA	PETERSON, "Association for Research in Vision and Opthalmology, Ft. Lauderdale, Florida", April 2002, Trends-in-Medicine, May 2002, pps 1 - 6	
	СВ	PRENTICE, "Surrogate Endpoints in Clinical Trials: Definition and Operational Criteria", Statistics in Medicine, VOL 8, 431-440 (1989)	
	CC	COLBURN, "Biomarkers in Drug Discovery and Development: From Target Identification through Drug Marketing", J Clin Pharmacol, 2003; 43:329:341	
	CD	COLBURN, "Selecting and Validating Biologic Markers for Drug Development", J Clin Pharmacol, 1997; 37:355-362	
	CE	NEUBAUER, et al, "Comparison of Foveal Thickness Measured with the Retinal Thickness Analyzer and Optical Coherence Tomography", The Jouranl of Retinal and Vitreous Diseases, May 2001, volume 21, number 6 pps 596-601	
	CF	ANTCLIFF, et al, "Comparison between Optical Coherence Tomography and Fundus Flurescein Angiography for the Detection of Cystoid Macular Eden in Patients with Uveitis", Ophthalmology, Volume 10, Number 3 pps 593-599, March 2000	
	CG	KONNO, et al, "Retinal Thickness Measurements with Optical Coherence Tomography and the Scanning Retianl Thickness Analyzer", The Journal of Retinal and Vitreous Diseases; 2001, Volume 21, Number 1 pps 57-61	
	СН	GOEBEL, et al, "Retinal Thickness in Diabetic Retinopathy", The Jourani of Retinal and Vitreous Diseases, 2002, Volume 22, Number 6, pps 759 - 767	
	CI	KONNO, et al, "Three-Dimensional Analysis of Macular Diseases With a Scanning Retinal Thickness Analyzer and a Confocual Scanning Laser Ophthalmoscope" Department of Ophthalmology, Asahikawa Medical College, Asahikawa, Japan, June 2000	
	C1	OSHIMA, et al, "Quantitative Assessment of Macular Thickness in Normal Subjects and Patients with Diabetic Retinopathy by Scanning Retinal Tichness and Analyser", Br J Ophthalmol 1999;83:54-61	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner	Date
Signature	Considered